

HEAVY DUTY ELECTRONIC BALANCE

FS-Q



FUJITSU ELECTRIC CO.,LTD


HEAVY DUTY ELECTRONIC BALANCE

FS-Q



HEAVY DUTY

Big capacity with very high precision.
Adapting high technology with affordable price.



LCD Back Light

Big LCD display,
very easy to read
and readable in dark condition.



Response time in 2 seconds

Keep the
weighing stable
with the
standart response.



Support AC-DC

Flexible power supply
more than and
low energy - consuming
48 hours operation
with dry cells.



Selectable weighing units and count mode

Faster counting
with zero mistake.




Built in RS232

PC connection available,
can connect to external display
and also can connect to the
external printer directly.



10 unit available: g, ct, lb, oz, ozt, GN, dwt, N, t, T/A/R

A lot of weighing unit,
all weighing units
available here.



Fit with inner rechargeable battery (Optional)

This rechargeable
battery is use for
lose time, suitable
for un - electricity location.



Fit with extra display (Optional)

Visible at the
front and back side.



FS-Q



• CHARACTERISTIC

- > LCD back light
- > Response time in 2 seconds
- > Support AC-DC
- > Selectable weighing unit and count mode
- > 10 unit available: g, ct, lb, oz, ozt, GN, dwt, N, t, T/A/R
- > Built in RS232
- * Fit with inner rechargeable DC battery (Optional)
- * Built in Rear display (Optional)



• SPECIFICATIONS

TYPE	FS-Q6	FS-Q10	FS-Q20	FS-Q30
(kg) Metage Range	6	10	20	30
(g) Reading Precision	0.05	0.1		0.1
(g) Repeatability	± 0.1	± 0.2		± 0.2
(g) Linearity	± 0.1	± 0.2		± 0.3
(°C) Ambient Temperature	5-35			
(mm) Pan Size	205x295			
(mm) Shape Size (LxWxH)	320x310x120			
Warm-Up Time (m)	10-20			