

## DFWKR

"DFWKRP": INDICATOR FOR VEHICLE WEIGHING



Multifunction digital weight indicator in Rack version complete with 4 connectors for linking the platforms, built-in rechargeable battery, battery charger, thermal printer, time/date and case. It is particularly suitable for vehicle weighing applications. CE-M approvable (OIML R-76 / EN 45501).

Working in cooperation with:

**PT.INTERSKALA MANDIRI INDONESIA**

GREEN SEDAYU BIZPARK, BLOK DM 11, N 62 - 11840 - KALIDERES, JAKARTA BARAT -  
INDONESIA  
Tel. +62 21 555 1470 Fax. +6221 555 1953  
[interscale@yahoo.com](mailto:interscale@yahoo.com)

The best solution  
for advanced  
industrial  
applications

## MAIN FEATURES

- Waterproof functional keyboard with 17 keys.
- LCD backlit display with 6 25-mm high contrast digits and with indication of active functions.
- Rack type metallic case.
- Calibration, set-up parameters, printouts, etc., all configurable from keyboard.
- Instrument management & configuration from PC with DINITOOLS.
- Up to 10.000e in single range mode @ 0,3  $\mu\text{V/e}$  in CE-M approved version for legal for trade use.
- Up to 1.000.000 displayable divisions with internal resolution up to 3.000.000 points.
- A/D 24-bit 4-channel sigma-delta conversion, up to 200 conv./sec. autoselect and up to 8 signal linearization points.
- Fitted with 4 connectors for connection to 4 platforms (up to 8 optional).
- Connectable with up to 25 analogue load cells having 1000 Ohm input resistance.
- Built-in rechargeable battery (10-hour minimum operating time) with fitted external 12 Vdc / 230 Vac adapter.
- Fitted with thermal printer, time/date, case for housing indicator and with space for other accessories.
- Dimensions: 325x460x170 mm; Total weight: about 5 kg.

## MAIN CERTIFICATIONS

- EU Type Examination Certificate (45501:2015)
- OIML R76

## I/O SECTION

- Available on the panel:
  - 1 RS232/C (or optionally RS485) bi-directional 9-pin port for PC.
- Available in the indicator:
  - 1 RS232/C port configurable for connection with printer.

## WIRELESS WHEEL/AXLE WEIGHING SYSTEMS

- Thanks to the DFWKRPRF repeater combined with the "MSTSLV" optional software, it is possible to manage up to 20 WWSRF platforms fitted with built-in radio module, with recording of the weight of each wheel and calculation of the vehicle total weight.



## APPROVAL WITH CE-M SERIES PLATFORM

- The weight of the single platform is legal for trade.
- The total weight of the vehicle is legal for trade depending on the application:
  - The wheel weighing systems, with a number of platforms equal to the number of vehicle's wheels, are approved, because the weight of the vehicle is determined in only one weigh.
  - The axle weighing systems are for internal use only.
- The CE-M division in which the total weight of the vehicle is indicated in the wheels weighing systems (4 platforms) is equal to the sum of the single platforms' divisions, rounded.  
Example: with 4 approved platforms with division 200g, the approved sum weight will be indicated with division 1kg.

### DETAIL 1



### DETAIL 2



**DETAIL 3**



**DETAIL 4**





www.diniargeo.com



DINI ARGEO  
FRANCE sarl  
France

DINI ARGEO  
GMBH  
Germany

DINI ARGEO  
UK Ltd  
United Kingdom

DINI ARGEO WEIGHING  
INSTRUMENTS Ltd  
China

DINI ARGEO  
OCEANIA  
Australia



**COMPANY HEADQUARTERS**

Via Della Fisica, 20  
41042 Spezzano di Fiorano - Modena - Italy  
Tel. +39.0536 843418

***PT.INTERSKALA MANDIRI INDONESIA***

GREEN SEDAYU BIZPARK, BLOK DM 11, N 62 - 11840 - KALIDERES, JAKARTA BARAT - INDONESIA

Tel. +62 21 555 1470 Fax. +6221 555 1953

[interscale@yahoo.com](mailto:interscale@yahoo.com)

**SALES AND TECHNICAL ASSISTANCE SERVICE**